


CJENOVNIK

gasne instalacije

ventili za gas sa termoaktiviranjem




ventili kuglasti za gas

sa termoaktivirajućom zaštitom



- standard i certifikat: DIN EN 331 DIN 3586
- radni pritisak: MOP 5 (5 bar)
- radna temperatura: -20 °C + 60 °C
- primjena: za sve vrste plina kako je navedeno u EN 437 i DWG G260 / 1 (metan, butan, propan, prirodni plin)
- Otpornost na visoke temperature: HTB 650°C za 30' (DIN EN331 C5)
- FIREBAG® temperatura isključenja: 100°C - 5K

G2/G4 zaporni ventil s termo-sigurnosnim uređajem Firebag®




- puni protok
- dimenzije: 1/2" - 2"

VPC

Šifra: 1200	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	1/2"	37,60
Šifra: 1201	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	3/4"	46,62
Šifra: 1202	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	1"	70,95
Šifra: 1203	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	5/4"	314,15
Šifra: 1204	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	6/4"	374,00
Šifra: 1205	Ventil kugla za gas "TECO" G2 sa TA ŽŽ	2"	555,50

G2T zaporni ventil s termo-sigurnosnim uređajem Firebag® i TECOBLOCK ručkom



Izvedba: ravna sa holenderom

- puni protok
- dimenzije: 1/2", 3/4", 1"

Šifra: 1208	Ventil kugla za gas "TECO" G2T s s hol.	1/2"	44,52
Šifra: 1209	Ventil kugla za gas "TECO" G2T s s hol.	3/4"	54,44
Šifra: 1210	Ventil kugla za gas "TECO" G2T s s hol.	1"	95,00

G2T zaporni ventil s termo-sigurnosnim uređajem Firebag® i TECOBLOCK ručkom

Izvedba: kutna sa holenderom

- puni protok
- dimenzije: 1/2", 3/4", 1"



Šifra: 1213	Ventil kugla za gas "TECO" G2T s s hol.	1/2" K	47,52
Šifra: 1214	Ventil kugla za gas "TECO" G2T s s hol.	3/4" K	64,66
Šifra: 1215	Ventil kugla za gas "TECO" G2T s s hol.	1" K	101,00



TERRAGAZ BH d.o.o.
Ul. Nikole Šopa 5A
71210 Ilidža, Sarajevo

Tel: 033/840-957
Mob: 061/737-990
mail: semsudin.bajic@terrageraz.ba

terrageraz.ba